

The `academicons` package

High quality icons of online academic profiles

Diogo A. B. Fernandes* (`L`A_TE_X code)
James Walsh (font and icons design)

v1.8.0, released on May 15, 2017

Abstract

The `academicons` package provides specific `L`A_TE_X bindings with the free *Academicons* font, allowing to access 62 high quality icons of online academic profiles.

1 Description

The `academicons` package provides access in `L`A_TE_X to 62 high quality icons of online academic profiles included in the free *Academicons* font. This package requires the `fontspec` package and either the `XYL``L`A_TE_X or `Lua``L`A_TE_X engine to load the *Academicons* font from the system, which requires installing the bundled `academicons.ttf` font file. As new releases come out, it is recommended to install the bundled font version as there may be differences between the package and previous font versions or newest font versions not yet contemplated in the package.

The *Academicons* font was designed by James Walsh and released¹ under the open SIL Open Font License². This package is a redistribution of the free *Academicons* font with specific bindings for `L`A_TE_X. It is inspired and based on the `fontawesome`³ package.

2 Usage

`\aiicon` The `academicons` package provides the generic `\aiicon` command to access icons, which takes as mandatory argument the $\langle name \rangle$ of the desired icon. It also provides individual direct commands for each specific icon. The full list of icons and their respective names and direct commands can be found below. For example, `\aiicon{googlescholar}` yields the same result as `\aiGoogleScholar`.

*Email: diogoabfernandes@gmail.com

¹See <http://jpswalsh.github.io/academicons/>.

²Available at <http://scripts.sil.org/OFL>.

³Available at <http://www.ctan.org/pkg/fontawesome>.

2.1 Academicons Icons

Icon	Name (<i>(name)</i>)	Direct Command
	<i>academia</i>	<code>\aiAcademia</code>
	<i>academia-square</i>	<code>\aiAcademiaSquare</code>
	<i>acclaim</i>	<code>\aiAcclaim</code>
	<i>acclaim-square</i>	<code>\aiAcclaimSquare</code>
	<i>acm</i>	<code>\aiACM</code>
	<i>acm-square</i>	<code>\aiACMSquare</code>
	<i>ads</i>	<code>\aiADS</code>
	<i>ads-square</i>	<code>\aiADSSquare</code>
	<i>arxiv</i>	<code>\aiarXiv</code>
	<i>arxiv-square</i>	<code>\aiarXivSquare</code>
	<i>bioRxiv</i>	<code>\aibioRxiv</code>
	<i>bioRxiv-square</i>	<code>\aibioRxivSquare</code>
	<i>ceur</i>	<code>\aiCEUR</code>
	<i>ceur-square</i>	<code>\aiCEURSquare</code>
	<i>coursera</i>	<code>\aiCoursera</code>
	<i>coursera-square</i>	<code>\aiCourseraSquare</code>
	<i>dataverse</i>	<code>\aidataverse</code>
	<i>dataverse-square</i>	<code>\aidataverseSquare</code>
	<i>dblp</i>	<code>\aidblp</code>
	<i>dblp-square</i>	<code>\aidblpSquare</code>
	<i>depsy</i>	<code>\aiDepsy</code>
	<i>depsy-square</i>	<code>\aiDepsySquare</code>
	<i>doi</i>	<code>\aiDoi</code>
	<i>doi-square</i>	<code>\aiDoiSquare</code>
	<i>dryad</i>	<code>\aiDryad</code>
	<i>dryad-square</i>	<code>\aiDryadSquare</code>
	<i>figshare</i>	<code>\aiFigshare</code>
	<i>figshare-square</i>	<code>\aiFigshareSquare</code>
	<i>googlescholar</i>	<code>\aiGoogleScholar</code>
	<i>googlescholar-square</i>	<code>\aiGoogleScholarSquare</code>
	<i>ieee</i>	<code>\aiIEEE</code>
	<i>ieee-square</i>	<code>\aiIEEEESquare</code>
	<i>impactstory</i>	<code>\aiImpactstory</code>
	<i>impactstory-square</i>	<code>\aiImpactstorySquare</code>
	<i>inspire</i>	<code>\aiInspire</code>
	<i>inspire-square</i>	<code>\aiInspireSquare</code>
	<i>mendeley</i>	<code>\aiMendeley</code>
	<i>mendeley-square</i>	<code>\aiMendeleySquare</code>
	<i>open-access</i>	<code>\aiOpenAccess</code>
	<i>open-access-square</i>	<code>\aiOpenAccessSquare</code>
	<i>orcid</i>	<code>\aiOrcid</code>
	<i>orcid-square</i>	<code>\aiOrcidSquare</code>

Icon	Name ($\langle name \rangle$)	Direct Command
	<i>osf</i>	<code>\aiOSF</code>
	<i>osf-square</i>	<code>\aiOSFSquare</code>
	<i>overleaf</i>	<code>\aiOverleaf</code>
	<i>overleaf-square</i>	<code>\aiOverleafSquare</code>
	<i>philpapers</i>	<code>\aiPhilPapers</code>
	<i>philpapers-square</i>	<code>\aiPhilPapersSquare</code>
	<i>piazza</i>	<code>\aiPiazza</code>
	<i>piazza-square</i>	<code>\aiPiazzaSquare</code>
	<i>publons</i>	<code>\aiPublons</code>
	<i>publons-square</i>	<code>\aiPublonsSquare</code>
	<i>pubmed</i>	<code>\aiPubMed</code>
	<i>pubmed-square</i>	<code>\aiPubMedSquare</code>
	<i>researchgate</i>	<code>\aiResearchGate</code>
	<i>researchgate-square</i>	<code>\aiResearchGateSquare</code>
	<i>scirate</i>	<code>\aiSciRate</code>
	<i>scirate-square</i>	<code>\aiSciRateSquare</code>
	<i>springer</i>	<code>\aiSpringer</code>
	<i>springer-square</i>	<code>\aiSpringerSquare</code>
	<i>zotero</i>	<code>\aiZotero</code>
	<i>zotero-square</i>	<code>\aiZoteroSquare</code>

3 Change History

v1.4.0	v1.6.0-1
General: First public release (version number set to match the included <code>academicons.ttf</code> font version). 1	General: Better documentation. . . 1
v1.4.0-1	v1.7.0
General: Fix release: corrected a few typos and errors in the manual. 1	General: Major release of v1.7.0. . . 1
v1.6.0	v1.7.1
General: Major release of v1.6.0. . . 1	General: Fix release: corrected a bug in the style file. 1
	v1.7.2
	General: Fix release: corrected a bug in the style file. 1
	v1.8.0
	General: Major release of v1.8.0. . . 1