

Support for the Plex OpenType fonts

Herbert Voß

November 22, 2017

Contents

1	Introduction	2
2	The Glyphs	2
2.1	Default Serif style	2
2.2	Default Sans style	4
2.3	Default Mono style	5
3	Features	7
3.1	Alternate styles	7
3.1.1	StylisticSet=1: simple lowercase a	7
3.1.2	StylisticSet=2: simple lowercase g	7
3.1.3	StylisticSet=3: slashed zero	7
3.1.4	StylisticSet=4: dotted zero	7
3.1.5	StylisticSet=4: special lowercaswe eszett	7
3.2	Capital german eszett	7
3.3	Vertical position	8
3.4	Fractions	8
4	Font macros	8
5	Special symbols	9
6	Examples without special Settings	9
6.1	The default	9
6.2	Semibold	10
6.3	Thin	10
6.4	Extra Light	11
6.5	Light	11
6.6	Medium	12
6.7	Text	12
7	Examples with using Small Caps fonts	13
8	Closing	14

With our new corporate typeface, IBM Plex, comes a new set of guidance and best practices. IBM typography is international and modern to reflect our brand and our design principles. [2]

1 Introduction

The package `plex-otf` supports all families with specific optional arguments:

<i>name</i>	<i>value</i>	<i>meaning</i>
<code>mono</code>	<code>true/false</code>	use only the IBM Plex Mono
<code>serif</code>	<code>true/false</code>	use only the IBM Plex Serif
<code>sans</code>	<code>true/false</code>	use only the IBM Plex Sans
<code>RM</code>	<code>code</code>	options for IBM Plex Serif
<code>SS</code>	<code>code</code>	options for IBM Plex Sans
<code>TT</code>	<code>code</code>	options for IBM Plex Mono
<code>RMSCfont</code>	<code>font</code>	font name for small caps
<code>SSSCfont</code>	<code>font</code>	font name for small caps
<code>DefaultFeatures</code>	<code>code</code>	for all font styles

For this documentation we use instead:

```
\usepackage[usefilenames,% Important for xelatex
  RM={Scale=0.94},
  SS={Scale=0.94},
  TT={Scale=MatchLowercase,FakeStretch=0.9},
  DefaultFeatures={Ligatures=Common}]{plex-otf}
```

2 The Glyphs

2.1 Default Serif style

U+0020		!	”	#	\$	%	&	'	()
U+002a	*	+	,	-	.	/	0	1	2	3
U+0034	4	5	6	7	8	9	:	;	<	=
U+003e	>	?	@	A	B	C	D	E	F	G
U+0048	H	I	J	K	L	M	N	O	P	Q
U+0052	R	S	T	U	V	W	X	Y	Z	[
U+005c	\]	^	_	'	a	b	c	d	e
U+0066	f	g	h	i	j	k	l	m	n	o
U+0070	p	q	r	s	t	u	v	w	x	y
U+007a	z	{		}	~		i	¢	£	¥
U+00a6	¡	§	¨	©	ª	«	¬	-	®	-
U+00b0	°	±	²	³	´	µ	¶	·	¸	¹
U+00ba	º	»	¼	½	¾	¿	À	Á	Â	Ã
U+00c4	Ä	Å	Æ	Ç	È	É	Ê	Ë	Ì	Í
U+00ce	Î	Ï	Ð	Ñ	Ò	Ó	Ô	Õ	Ö	×

U+00d8	Ø	Ù	Ú	Û	Ü	Ý	Þ	ß	à	á
U+00e2	â	ã	ä	å	æ	ç	è	é	ê	ë
U+00ec	ì	í	î	ï	ð	ñ	ò	ó	ô	õ
U+00f6	ö	÷	ø	ù	ú	û	ü	ý	þ	ÿ
U+0100	Ā	ā	Ă	ă	Ą	ą	Ć	ć	Ĉ	ĉ
U+010a	Č	č	Ď	ď	Đ	đ	Ě	ě	Ĝ	ĝ
U+0114	Ě	ě	Ě	ě	Ě	ě	Ě	ě	Ĝ	ĝ
U+011e	Ĝ	ĝ	Ĝ	ĝ	Ĝ	ĝ	Ĝ	ĝ	Ĝ	ĝ
U+0128	Ĩ	ĩ	Ī	ī	Ĭ	ĭ	Į	į	İ	ı
U+0132	IJ	ij	Ĵ	ĵ	Ķ	ķ	κ	Ł	ł	Ł
U+013c	ł	Ł	ł	Ł	ł	Ł	ł	Ł	ł	Ł
U+0146	ŋ	Ñ	ñ	'n	Ŋ	ŋ	Ō	ō	Ŏ	ö
U+0150	Ŏ	ö	Œ	œ	Ř	ř	Ŕ	ř	Ř	ř
U+015a	Ś	ś	Ŝ	ŝ	Ş	ş	Š	š	Ţ	ţ
U+0164	Ť	ť	Ŧ	ŧ	Ũ	ũ	Ū	ū	Ŭ	ŭ
U+016e	Ŭ	ŭ	Ū	ū	Ů	ů	Ŵ	ŵ	Ŷ	ŷ
U+0178	Ÿ	Ž	ž	Ž	ž	Ž	ž	Ɖ	f	Ɔ
U+01a1	σ	Ϝ	ϝ	Ά	ά	Æ	æ	Ø	ø	Ş
U+0219	ş	Ţ	ţ	Ј	ј	‘	’	^	˘	˙
U+02d9	˙	˚	˛	˜	˝	˘	˙	ˆ	˜	-
U+0306	˘	˙	˛	˜	˝	˘	˙	ˆ	˜	-
U+0323	˙	˚	˛	˜	˝	˘	˙	ˆ	˜	-
U+1e84	Ẁ	ẁ	Ẃ	ẃ	Ẅ	ẅ	Ẇ	ẇ	Ẉ	ẉ
U+1ea7	à	Ả	ả	Ã	ã	Ậ	ậ	Ắ	ắ	Ằ
U+1eb1	ă	Ả	ả	Ã	ã	Ậ	ậ	Ắ	ắ	Ằ
U+1ebb	è	È	è	É	é	È	è	É	é	È
U+1ec5	ẽ	Ệ	ệ	Ỉ	ỉ	Ị	ị	Ọ	ọ	Ỗ
U+1ecf	ò	Ố	ố	Ỗ	ỗ	Ổ	ổ	Ỗ	ỗ	Ỗ
U+1ed9	ộ	Ớ	ớ	Ỗ	ỗ	Ổ	ổ	Ỗ	ỗ	Ỗ
U+1ee3	ợ	Ự	ự	Ử	ử	Ứ	ứ	Ữ	ữ	Ử
U+1eed	ử	Ử	ử	Ự	ự	Ỡ	ỡ	Ỡ	ỡ	Ỡ
U+1ef7	ỳ	Ỡ	ỡ	—	—	‘	’	,	“	”
U+201e	„	†	‡	•	…	% ₀₀	<	>	/	°
U+2074	4	5	6	7	8	9	0	1	2	3
U+2084	4	5	6	7	8	9	€	£	₤	₹
U+20a9	₩	₪	₫	€	₰	₱	₲	₳	₴	₵
U+20b8	₶	₷	₸	₹	₺	₻	₼	₽	₾	₿
U+2150	¼	½	⅓	⅔	⅕	⅖	⅗	⅘	⅙	⅚
U+215b	⅛	⅜	⅝	⅞	←	↑	→	↓	↖	↗
U+2198	↘	↙	↖	↗	↘	↙	↖	↗	↘	↙
U+2202	∂	Δ	∏	Σ	−	√	∞	∫	≈	≠
U+2264	≤	≥	◊	↵	↶	↷	↸	IBM		
U+ece0	€	₣	“	”	fi	fl		α	g	g
U+0f0004	ø	ø	á	ã	â	ä	ɑ	à	á	â
U+0f000e	ɑ	ã	á	ã	â	ä	ɑ	à	á	â
U+0f0018	â	ã	á	ã	â	ä	ɑ	à	á	â

2 The Glyphs

U+0f0022	ƒ	Í	Ĵ	˜	ó	ú	û	ÿ	ÿ	ÿ
U+0f002c	˘	˙	˚	˛	˜	˘	˙	˚	˛	˜
U+0f0036	˚	˛	˜	˘	˙	˚	˛	˜	˘	˙
U+0f0040	˘	˙	˚	˛	˜	˘	˙	˚	˛	˜
U+0f004a	˘	˙	˚	IBM	IBM					

2.2 Default Sans style

U+0020		!	”	#	\$	%	&	'	()
U+002a	*	+	,	-	.	/	0	1	2	3
U+0034	4	5	6	7	8	9	:	;	<	=
U+003e	>	?	@	A	B	C	D	E	F	G
U+0048	H	I	J	K	L	M	N	O	P	Q
U+0052	R	S	T	U	V	W	X	Y	Z	[
U+005c	\]	^	_	'	a	b	c	d	e
U+0066	f	g	h	i	j	k	l	m	n	o
U+0070	p	q	r	s	t	u	v	w	x	y
U+007a	z	{		}	~		i	¢	£	¥
U+00a6	!	§	”	©	ª	«	¬	-	®	-
U+00b0	°	±	²	³	´	µ	¶	·	¸	¹
U+00ba	°	»	¼	½	¾	¿	À	Á	Â	Ã
U+00c4	Ä	Å	Æ	Ç	È	É	Ê	Ë	Ì	Í
U+00ce	Î	Ï	Ð	Ñ	Ò	Ó	Ô	Õ	Ö	×
U+00d8	Ø	Ù	Ú	Û	Ü	Ý	Þ	ß	à	á
U+00e2	â	ã	ä	å	æ	ç	è	é	ê	ë
U+00ec	ì	í	î	ï	ð	ñ	ò	ó	ô	õ
U+00f6	ö	÷	ø	ù	ú	û	ü	ý	þ	ÿ
U+0100	Ā	ā	Ă	ă	Ą	ą	Ć	ć	Ĉ	ĉ
U+010a	Č	č	Ď	ď	Đ	đ	Ě	ě	Ĝ	ĝ
U+0114	Ě	ě	Ĝ	ĝ	Ğ	ğ	Ĥ	ĥ	Ħ	ħ
U+011e	Ħ	ħ	Ĩ	ĥ	Ī	ī	Ĵ	ĵ	Ĭ	ĭ
U+0128	Ī	ī	Ĵ	ĵ	Ķ	ķ	ĸ	Ĺ	ĺ	Ł
U+0132	Ł	ł	Ł	ł	ł	ł	ł	ł	ł	ł
U+013c	ł	ł	ł	ł	ł	ł	ł	ł	ł	ł
U+0146	ŋ	Ñ	ñ	'n	Ŋ	ŋ	Ō	ō	Ŏ	ö
U+0150	Ŏ	ö	Œ	œ	Ŕ	ŕ	Ŗ	ŗ	Ř	ř
U+015a	Ŕ	ŕ	Ř	ř	Ś	ś	Ş	ş	Ş	ş
U+0164	Ş	ş	Ş	ş	Ş	ş	Ş	ş	Ş	ş
U+016e	Ů	ů	Ů	ů	Ů	ů	Ů	ů	Ů	ů
U+0178	Ů	ů	Ů	ů	Ů	ů	Ů	ů	Ů	ů
U+01a1	Ư	ư	Ư	ư	Ư	ư	Ư	ư	Ư	ư
U+0219	Ư	ư	Ư	ư	Ư	ư	Ư	ư	Ư	ư
U+02d9	Ư	ư	Ư	ư	Ư	ư	Ư	ư	Ư	ư
U+0306	Ư	ư	Ư	ư	Ư	ư	Ư	ư	Ư	ư
U+0323	Ư	ư	Ư	ư	Ư	ư	Ư	ư	Ư	ư
U+1e84	Ẁ	ẁ	Ẃ	ẃ	Ẅ	ẅ	Ẇ	ẇ	Ẉ	ẉ

U+1ea7	à	Ā	ă	Ă	ã	Â	â	Ă	á	À
U+1eb1	ă	Ă	â	Ā	ã	Â	ă	Ě	ě	Ě
U+1ebb	è	Ě	ě	Ě	ë	Ë	è	Ë	ë	Ë
U+1ec5	ë	Ë	ê	Ī	î	Ĭ	ï	Ŏ	o	Ŏ
U+1ecf	ò	Ŏ	ó	Ŏ	õ	Ő	ő	Ŏ	ō	Ŏ
U+1ed9	ộ	Ớ	ớ	Ờ	ờ	Ở	ở	Ỡ	ỡ	Ợ
U+1ee3	ợ	Ụ	ụ	Ủ	ủ	Ứ	ứ	Ỡ	ỡ	Ự
U+1eed	ử	Ữ	ữ	Ự	ự	Ỡ	ỡ	Ỡ	ỡ	Ỡ
U+1ef7	ỳ	Ỡ	ỷ	—	—	‘	’	,	“	”
U+201e	„	†	‡	•	…	‰	<	>	/	°
U+2074	4	5	6	7	8	9	0	1	2	3
U+2084	4	5	6	7	8	9	€	£	₣	₵
U+20a9	₩	₪	₫	€	₰	₱	₹	₺	₳	₴
U+20b8	₹	₺	₳	₴	₵	₶	₷	₸	₹	₺
U+2150	½	⅓	¼	⅓	⅔	⅕	⅔	⅔	⅔	⅔
U+215b	⅔	⅔	⅔	⅔	←	↑	→	↓	↔	↕
U+2196	↖	↗	↘	↙	↻	↻	↻	↻	↻	↻
U+21b6	↻	↻	↻	↻	↻	↻	↻	↻	↻	↻
U+2212	−	√	∞	∫	≈	≠	≤	≥	◇	√
U+274c	×	↵	↶	↷	↸	IBM	IBM	IBM	IBM	IBM
U+ece0	€	€	“	”	fi	fl		a	g	g
U+0f0004	0	0	á	ă	â	ä	ç	à	á	â
U+0f000e	ç	ä	á	ă	â	ä	ç	à	á	â
U+0f0018	â	ä	á	ă	â	ä	ç	à	á	â
U+0f0022	ÿ	ÿ	ÿ	ÿ	ÿ	ÿ	ÿ	ÿ	ÿ	ÿ
U+0f002c	˘	˙	˚	˛	˜	˝	˜	˜	˜	˜
U+0f0036	˙	˚	˛	˜	˝	˜	˜	˜	˜	˜
U+0f0040	˚	˛	˜	˝	˜	˜	˜	˜	˜	˜
U+0f004a	˛	˜	˝	˜	˜	˜	˜	˜	˜	˜

2.3 Default Mono style

U+0020		!	"	#	\$	%	&	'	()
U+002a	*	+	,	-	.	/	0	1	2	3
U+0034	4	5	6	7	8	9	:	;	<	=
U+003e	>	?	@	A	B	C	D	E	F	G
U+0048	H	I	J	K	L	M	N	O	P	Q
U+0052	R	S	T	U	V	W	X	Y	Z	[
U+005c	\]	^	_	'	a	b	c	d	e
U+0066	f	g	h	i	j	k	l	m	n	o
U+0070	p	q	r	s	t	u	v	w	x	y
U+007a	z	{		}	~		i	¢	£	¥
U+00a6	¡	§	¨	©	ª	«	¬	-	®	-
U+00b0	°	±	²	³	´	µ	¶	·	¸	¹
U+00ba	º	»	¼	½	¾	¿	À	Á	Â	Ã
U+00c4	Ä	Å	Æ	Ç	È	É	Ê	Ë	Ì	Í

2 The Glyphs

U+00ce	Î	İ	Đ	Ñ	Ò	Ó	Ô	Õ	Ö	×
U+00d8	Ø	Ù	Ú	Û	Ü	Ý	Þ	Ë	à	á
U+00e2	â	ã	ä	å	æ	ç	è	é	ê	ë
U+00ec	ì	í	î	ï	ð	ñ	ò	ó	ô	õ
U+00f6	ö	÷	ø	ù	ú	û	ü	ý	þ	ÿ
U+0100	Ā	ā	Ă	ă	Ą	ą	Ć	ć	Ĉ	ĉ
U+010a	Ċ	ċ	Č	č	Ď	ď	Đ	đ	Ē	ē
U+0114	Ĕ	ĕ	Ė	ė	Ę	ę	Ě	ě	Ĝ	ĝ
U+011e	Ğ	ğ	Ġ	ġ	Ģ	ģ	Ĥ	ĥ	Ħ	ħ
U+0128	Ĩ	ĩ	Ī	ī	Ĭ	ĭ	Į	į	İ	ı
U+0132	Ј	ј	Љ	љ	Њ	њ	Ќ	ќ	Ќ	ќ
U+013c	Ł	ł	Ł	ł	Ł	ł	Ł	ł	Ł	ł
U+0146	Ń	ń	Ń	ń	Ń	ń	Ń	ń	Ń	ń
U+0150	Ŕ	ŕ	Ŕ	ŕ	Ŕ	ŕ	Ŕ	ŕ	Ŕ	ŕ
U+015a	Ś	ś	Ś	ś	Ś	ś	Ś	ś	Ś	ś
U+0164	Ţ	ţ	Ţ	ţ	Ţ	ţ	Ţ	ţ	Ţ	ţ
U+016e	Ŭ	ŭ	Ŭ	ŭ	Ŭ	ŭ	Ŭ	ŭ	Ŭ	ŭ
U+0178	Ÿ	Ž	ž	Ž	ž	Ž	ž	Ž	ž	Ž
U+01a1	Ư	ư	Ư	ư	Ư	ư	Ư	ư	Ư	ư
U+0219	Ş	ş	Ş	ş	Ş	ş	Ş	ş	Ş	ş
U+02d9	˙	˚	˘	˙	˚	˘	˙	˚	˘	˙
U+0306	˘	˙	˚	˘	˙	˚	˘	˙	˚	˘
U+0323	˙	˚	˘	˙	˚	˘	˙	˚	˘	˙
U+1e84	Ẁ	ẁ	Ẃ	ẃ	Ẅ	ẅ	Ẇ	ẇ	Ẉ	ẉ
U+1ea7	Ẃ	ẃ	Ẅ	ẅ	Ẇ	ẇ	Ẉ	ẉ	Ẋ	ẙ
U+1eb1	Ẅ	ẅ	Ẇ	ẇ	Ẉ	ẉ	Ẋ	ẙ	Ẓ	ẓ
U+1ebb	Ẇ	ẇ	Ẉ	ẉ	Ẋ	ẙ	Ẓ	ẓ	Ẕ	ẕ
U+1ec5	Ẉ	ẉ	Ẋ	ẙ	Ẓ	ẓ	Ẕ	ẕ	ẖ	ẗ
U+1ecf	Ẋ	ẙ	Ẓ	ẓ	Ẕ	ẕ	ẖ	ẗ	ẘ	ẙ
U+1ed9	Ẓ	ẓ	Ẕ	ẕ	ẖ	ẗ	ẘ	ẙ	ẚ	ẛ
U+1ee3	Ẕ	ẕ	ẖ	ẗ	ẘ	ẙ	ẚ	ẛ	ẜ	ẝ
U+1eed	ẖ	ẗ	ẘ	ẙ	ẚ	ẛ	ẜ	ẝ	ẞ	ẟ
U+1ef7	ẞ	ẟ	Ạ	ạ	Ả	ả	Ấ	ấ	Ầ	ầ
U+201e	“	†	‡	•	…	‰	<	>	/	°
U+2074	₪	₴	₵	₶	₷	₸	₹	₺	₻	₼
U+2084	₴	₵	₶	₷	₸	₹	₺	₻	₼	₽
U+20a9	₹	₺	₻	₼	₽	₾	₿	Ⓢ	Ⓣ	Ⓤ
U+20b8	₹	₺	₻	₼	₽	₾	₿	Ⓢ	Ⓣ	Ⓤ
U+2150	¼	½	¾	⅓	⅔	⅕	⅖	⅗	⅘	⅙
U+215b	⅔	⅕	⅖	⅗	⅘	⅙	↵	↑	→	↓
U+2196	↵	↑	→	↓	↶	↷	↸	↹	↺	↻
U+21b6	↶	↷	↸	↹	↺	↻	∂	Δ	Π	Σ
U+2212	−	√	∞	∫	≈	≠	≤	≥	◇	√
U+274c	X	↵	↑	↶	↷	↸	↹	↺	↻	↼
U+0f0000	■	a	g	g	0	0	á	ă	â	ä
U+0f000a	q	à	á	â	ç	ç	đ	ē	ê	ë

U+0f0014	ǎ	ǎ	ǎ	ǎ	â	à	ă	ã	ğ	ĝ
U+0f001e	ǎ	ǎ	ǎ	ǎ	â	à	ă	ã	ğ	ĝ
U+0f0028	3	4	5	6	7	8	9	0	1	2
U+0f0032	3	4	5	6	7	8	9	0	1	2
U+0f003c	3	4	5	6	7	8	9	0	1	2
U+0f0046	3	4	5	6	7	8	9	0	1	2
U+0f0050	3	4	5	6	7	8	9	0	1	2
U+0f005a	3	4	5	6	7	8	9	0	1	2

3 Features

3.1 Alternate styles

The stylistic sets are available for example by

```
\usepackage[... ,
    RM={StylisticSet=1},
    ...]{plex-otf}
```

3.1.1 StylisticSet=1: simple lowercase a

(Default a) and a

3.1.2 StylisticSet=2: simple lowercase g

(Default g) and g

3.1.3 StylisticSet=3: slashed zero

(Default 0) and 0

3.1.4 StylisticSet=4: dotted zero

(Default 0) and 0

3.1.5 StylisticSet=4: special lowercaswe eszett

(Default ß) and ß

3.2 Capital german eszett

It is available with \SS→ß

3.3 Vertical position

plex-otf-1

```
\usepackage{plex-otf}

{\addfontfeature{VerticalPosition=Superior}
Superior: 1234567890\par}
{\addfontfeatures{VerticalPosition=Numerator}
Numerator: 1234567890\par}
{\addfontfeatures{VerticalPosition=Denominator}
Denominator: 1234567890\par}
\addfontfeatures{VerticalPosition=ScientificInferior}
Scientific Inferior: 1234567890
```

Superior: 1234567890
Numerator: 1234567890
Denominator: 1234567890
Scientific Inferior: 1234567890

3.4 Fractions

plex-otf-2

```
\usepackage[usefilenames]{plex-otf}

1/3 2/3 1/5 2/5 \ldots \par
\addfontfeatures{Fractions=On}
1/3 2/3 1/5 2/5 3/5 4/5 1/6 5/6 1/7 1/9 1/8 3/8 5/8 7/8\par
123456/3215731
```

1/3 2/3 1/5 2/5 ...
1/3 2/3 1/5 2/5 3/5 4/5 1/6 5/6 1/7 1/9 1/8 3/8 5/8 7/8
123456/3215731

4 Font macros

The package defines the following macros which sets only the regular and italic font or the bold and bold italic font.

Serif:	Sans Serif:	Mono:
<code>\PlexExtraLightRM</code>	<code>\PlexExtraLightSS</code>	<code>\PlexExtraLightTT</code>
<code>\PlexLightRM</code>	<code>\PlexLightSS</code>	<code>\PlexLightTT</code>
<code>\PlexThinRM</code>	<code>\PlexThinSS</code>	<code>\PlexThinTT</code>
<code>\PlexMediumRM</code>	<code>\PlexMediumSS</code>	<code>\PlexMediumTT</code>
<code>\PlexTextRM</code>	<code>\PlexTextSS</code>	<code>\PlexTextTT</code>
<code>\PlexSemiBoldRM</code>	<code>\PlexSemiBoldSS</code>	<code>\PlexSemiBoldTT</code>

These macros refer to the following styles:

ExtraLight	Upright, Italic
Light	Upright, Italic
Thin	Upright, Italic
Medium	Upright, Italic
Text	Upright, Italic
SemiBold	Bold, BoldItalic

plex-otf-3

```
\usepackage{plex-otf}

\demo\ Regular\par {\PlexTextRM\demo\ Text\par} {\PlexLightRM\demo\ Light\par}
{\PlexExtraLightRM\demo\ ExtraLight\par} {\PlexThinRM\demo\ Thin}
```

Some text in the default font style IBM Plex Serif Regular
Some text in the default font style IBM Plex Serif Text
Some text in the default font style IBM Plex Serif Light
Some text in the default font style IBM Plex Serif ExtraLight
Some text in the default font style IBM Plex Serif Thin

5 Special symbols

<code>\IBM</code>	→ IBM	<code>\upleftarrow</code>	→ ↖
<code>\IBM[1]</code>	→ <i>IBM</i>	<code>\uprightarrow</code>	→ ↗
<code>\IBM[2]</code>	→ IBM	<code>\downleftarrow</code>	→ ↙
<code>\IBM[3]</code>	→ <i>IBM</i>	<code>\downrightarrow</code>	→ ↘
<code>\IBM[4]</code>	→ <i>IBM</i>	<code>\leftturn</code>	→ ↶
<code>\CE</code>	→ CE	<code>\rightturn</code>	→ ↷
<code>\FCC</code>	→ FCC	<code>\fullleftturn</code>	→ ↶
		<code>\fullrightturn</code>	→ ↷

6 Examples without special Settings

6.1 The default

By default the Plex font family has no small caps and no special slanted version.

```
\usepackage[usefilenames]{plex-otf}
```

```
\blindtext
```

```
\rmfamily \normalfont: Sphinx of black quartz judge my vow. 01234567890
  \bfseries: Voyez le brick géant que j'examine près du wharf.
  \itshape: Vom Ödipuskomplex maßlos gequält, übt Wilfried zyklisches Jo-
deln.
  \bfseries\itshape: Pójdźże, kiń tę chmurność w głąb flaszki!

\sffamily \normalfont: Sphinx of black quartz judge my vow. 01234567890
  \bfseries: Voyez le brick géant que j'examine près du wharf.
  \itshape: Vom Ödipuskomplex maßlos gequält, übt Wilfried zyklisches Jo-
deln.
  \bfseries\itshape: Pójdźże, kiń tę chmurność w głąb flaszki!

\ttfamily \normalfont: Sphinx of black quartz judge my vow.
01234567890
  \bfseries: Voyez le brick géant que j'examine près du wharf.
  \itshape: Vom Ödipuskomplex maßlos gequält, übt Wilfried
zyklisches Jodeln.
  \bfseries\itshape: Pójdźże, kiń tę chmurność w głąb flaszki!
```

plex-otf-4

6.2 Semibold

```
\usepackage[usefilenames,  
  RMstyle=Semibold,  
  SSstyle=Semibold,  
  TTstyle=Semibold]{plex-otf}
```

plex-otf-5

```
\blindtext
```

```
\rmfamily \normalfont: Sphinx of black quartz judge my vow. 01234567890  
  \bfseries: Voyez le brick géant que j'examine près du wharf.  
  \itshape: Vom Ödipuskomplex maßlos gequält, übt Wilfried zyklisches Jo-  
deln.  
  \bfseries\itshape: Pójdźże, kiń tę chmurność w głąb flaszy!  
  
\sffamily \normalfont: Sphinx of black quartz judge my vow. 01234567890  
  \bfseries: Voyez le brick géant que j'examine près du wharf.  
  \itshape: Vom Ödipuskomplex maßlos gequält, übt Wilfried zyklisches Jo-  
deln.  
  \bfseries\itshape: Pójdźże, kiń tę chmurność w głąb flaszy!  
  
\ttfamily \normalfont: Sphinx of black quartz judge my vow.  
01234567890  
  \bfseries: Voyez le brick géant que j'examine près du wharf.  
  \itshape: Vom Ödipuskomplex maßlos gequält, übt Wilfried  
zyklisches Jodeln.  
  \bfseries\itshape: Pójdźże, kiń tę chmurność w głąb flas-  
zy!
```

6.3 Thin

This makes only sense with the the Semibold feature or not using bold characters.

```
\usepackage[usefilenames,  
  RMstyle=Thin,  
  SSstyle=Thin,  
  TTstyle=Thin]{plex-otf}
```

plex-otf-6

```
\blindtext
```

```

\rmfamily \normalfont:Sphinx of black quartz judge my vow. 01234567890
  \itshape: Vom Ödipuskomplex maßlos gequält, übt Wilfried zyklisches Jodeln.
\sfamily \normalfont:Sphinx of black quartz judge my vow. 01234567890
  \itshape: Vom Ödipuskomplex maßlos gequält, übt Wilfried zyklisches Jo-
deln.
\ttfamily \normalfont: Sphinx of black quartz judge my vow.
01234567890
  \itshape: Vom Ödipuskomplex maßlos gequält, übt Wilfried
zyklisches Jodeln.

```

6.4 Extra Light

This makes only sense with the the Semibold feature or not using bold characters.

```

\usepackage[usefilenames,
  RMstyle=ExtraLight,
  SSstyle=ExtraLight,
  TTstyle=ExtraLight]{plex-otf}

```

```
\blindtext
```

```

\rmfamily \normalfont:Sphinx of black quartz judge my vow. 01234567890
  \itshape: Vom Ödipuskomplex maßlos gequält, übt Wilfried zyklisches Jodeln.
\sfamily \normalfont:Sphinx of black quartz judge my vow. 01234567890
  \itshape: Vom Ödipuskomplex maßlos gequält, übt Wilfried zyklisches Jo-
deln.
\ttfamily \normalfont: Sphinx of black quartz judge my vow.
01234567890
  \itshape: Vom Ödipuskomplex maßlos gequält, übt Wilfried
zyklisches Jodeln.

```

plex-otf-7

6.5 Light

This makes only sense with the the Semibold feature or not using bold characters.

```

\usepackage[usefilenames,
  RMstyle=Light,
  SSstyle=Light,
  TTstyle=Light]{plex-otf}

```

```
\blindtext
```

plex-otf-8

```

\rmfamily \normalfont: Sphinx of black quartz judge my vow. 01234567890
  \itshape: Vom Ödipuskomplex maßlos gequält, übt Wilfried zyklisches Jo-
deln.

\sffamily \normalfont: Sphinx of black quartz judge my vow. 01234567890
  \itshape: Vom Ödipuskomplex maßlos gequält, übt Wilfried zyklisches Jo-
deln.

\ttfamily \normalfont: Sphinx of black quartz judge my vow.
01234567890
  \itshape: Vom Ödipuskomplex maßlos gequält, übt Wilfried
zyklisches Jodeln.

```

6.6 Medium

This makes sense with the the Semibold feature.

```

\usepackage[usefilenames,
  RMstyle={Medium,Semibold},
  SSstyle={Medium,Semibold},
  TTstyle={Medium,Semibold}]{plex-otf}

```

```
\blindtext
```

```

\rmfamily \normalfont: Sphinx of black quartz judge my vow. 01234567890
  \bfseries: Voyez le brick géant que j'examine près du wharf.
  \itshape: Vom Ödipuskomplex maßlos gequält, übt Wilfried zyklisches
Jodeln.
  \bfseries\itshape: Pójdźże, kiń tę chmurność w głąb flaszy!

\sffamily \normalfont: Sphinx of black quartz judge my vow. 01234567890
  \bfseries: Voyez le brick géant que j'examine près du wharf.
  \itshape: Vom Ödipuskomplex maßlos gequält, übt Wilfried zyklisches
Jodeln.
  \bfseries\itshape: Pójdźże, kiń tę chmurność w głąb flaszy!

\ttfamily \normalfont: Sphinx of black quartz judge my vow.
01234567890
  \bfseries: Voyez le brick géant que j'examine près du wharf.
  \itshape: Vom Ödipuskomplex maßlos gequält, übt Wilfried
zyklisches Jodeln.
  \bfseries\itshape: Pójdźże, kiń tę chmurność w głąb flas-
zy!

```

6.7 Text

This makes sense with the the Semibold feature.

```
\usepackage[usefilenames,
  RMstyle={Text,Semibold},
  SSstyle={Text,Semibold},
  TTstyle={Text,Semibold}]{plex-otf}
```

```
\blindtext
```

```
\rmfamily \normalfont: Sphinx of black quartz judge my vow. 01234567890
  \bfseries: Voyez le brick géant que j'examine près du wharf.
  \itshape: Vom Ödipuskomplex maßlos gequält, übt Wilfried zyklisches Jo-
deln.
  \bfseries\itshape: Pójdźże, kiń tę chmurność w głąb flaszy!

\sffamily \normalfont: Sphinx of black quartz judge my vow. 01234567890
  \bfseries: Voyez le brick géant que j'examine près du wharf.
  \itshape: Vom Ödipuskomplex maßlos gequält, übt Wilfried zyklisches
Jodeln.
  \bfseries\itshape: Pójdźże, kiń tę chmurność w głąb flaszy!

\ttfamily \normalfont: Sphinx of black quartz judge my vow.
01234567890
  \bfseries: Voyez le brick géant que j'examine près du wharf.
  \itshape: Vom Ödipuskomplex maßlos gequält, übt Wilfried
zyklisches Jodeln.
  \bfseries\itshape: Pójdźże, kiń tę chmurność w głąb flas-
zy!
```

plex-otf-10

7 Examples with using Small Caps fonts

As already mentioned, the Plex font family has no small caps. If you need one then you can define another font for the small caps. If the font has to structure like the T_EX Gyre fonts:

```
texgyreheros-regular.otf
texgyreheros-bold.otf
texgyreheros-italic.otf
texgyreheros-bolditalic.otf
```

then you have to define all combinations yourself

```
\usepackage[SS={ SmallCapsFont = texgyreheros-regular,
  SmallCapsFeatures = {Letters=SmallCaps,Scale=MatchUppercase},
  BoldFeatures = { SmallCapsFont=texgyreheros-bold},
  ItalicFeatures = { SmallCapsFont=texgyreheros-italic},
  BoldItalicFeatures= { SmallCapsFont=texgyreheros-bolditalic}}]{plex-otf}
```

```
\usepackage[usefilenames,
  RMSCfont=texgyretermes,
  SSSCfont=texgyreheros]{plex-otf}
```

\blindtext

\rmfamily \normalfont: Sphinx of black quartz judge my vow. 01234567890
 SPHINX OF BLACK QUARTZ JUDGE MY VOW.

\bfseries: **Voyez le brick géant que j'examine près du wharf. VOYEZ LE BRICK GÉANT QUE J'EXAMINE PRÈS DU WHARF.**

\itshape: *Vom Ödipuskomplex maßlos gequält, übt Wilfried zyklisches Jodeln. VOM ÖDIPUSKOMPLEX MASSLOS GEQUÄLT, ÜBT WILFRIED ZYKLISCHES JODELN.*

\bfseries\itshape: ***Pójdźże, kiń tę chmurność w głąb flaszki! Pójdźże, KIŃ TĘ CHMURNOŚĆ W GŁĄB FLASZY!***

\sffamily \normalfont: Sphinx of black quartz judge my vow. 01234567890
 SPHINX OF BLACK QUARTZ JUDGE MY VOW.

\bfseries: **Voyez le brick géant que j'examine près du wharf. VOYEZ LE BRICK GÉANT QUE J'EXAMINE PRÈS DU WHARF.**

\itshape: *Vom Ödipuskomplex maßlos gequält, übt Wilfried zyklisches Jodeln. VOM ÖDIPUSKOMPLEX MASSLOS GEQUÄLT, ÜBT WILFRIED ZYKLISCHES JODELN.*

\bfseries\itshape: ***Pójdźże, kiń tę chmurność w głąb flaszki! Pójdźże, KIŃ TĘ CHMURNOŚĆ W GŁĄB FLASZY!***

\ttfamily \normalfont: Sphinx of black quartz judge my vow.
 01234567890

\bfseries: **Voyez le brick géant que j'examine près du wharf.**

\itshape: *Vom Ödipuskomplex maßlos gequält, übt Wilfried zyklisches Jodeln.*

\bfseries\itshape: ***Pójdźże, kiń tę chmurność w głąb flaszki!***

8 Closing

The font list of this documentation is:

```
CMSY10 Type 1 Builtin
IBMPlexMono-Bold          CID Type 0C
IBMPlexMono-BoldItalic    CID Type 0C
IBMPlexMono               CID Type 0C
IBMPlexMono-ExtraLight    CID Type 0C
IBMPlexMono-ExtraLightItalic CID Type 0C
IBMPlexMono-Italic        CID Type 0C
IBMPlexMono-Light         CID Type 0C
IBMPlexMono-LightItalic   CID Type 0C
IBMPlexMono-Medium        CID Type 0C
IBMPlexMono-MediumItalic  CID Type 0C
IBMPlexMono-SemiBold      CID Type 0C
IBMPlexMono-SemiBoldItalic CID Type 0C
IBMPlexMono-Text          CID Type 0C
IBMPlexMono-TextItalic    CID Type 0C
IBMPlexMono-Thin          CID Type 0C
IBMPlexMono-ThinItalic    CID Type 0C
IBMPlexSans-Bold          CID Type 0C
```

IBM Plex Sans-BoldItalic CID Type 0C
 IBM Plex Sans CID Type 0C
 IBM Plex Sans-ExtraLight CID Type 0C
 IBM Plex Sans-ExtraLightItalic CID Type 0C
 IBM Plex Sans-Italic CID Type 0C
 IBM Plex Sans-Light CID Type 0C
 IBM Plex Sans-LightItalic CID Type 0C
 IBM Plex Sans-Medium CID Type 0C
 IBM Plex Sans-MediumItalic CID Type 0C
 IBM Plex Sans-SemiBold CID Type 0C
 IBM Plex Sans-SemiBoldItalic CID Type 0C
 IBM Plex Sans-Text CID Type 0C
 IBM Plex Sans-TextItalic CID Type 0C
 IBM Plex Sans-Thin CID Type 0C
 IBM Plex Sans-ThinItalic CID Type 0C
 IBM Plex Serif-Bold CID Type 0C
 IBM Plex Serif-BoldItalic CID Type 0C
 IBM Plex Serif CID Type 0C
 IBM Plex Serif-ExtraLight CID Type 0C
 IBM Plex Serif-ExtraLightItalicPS CID Type 0C
 IBM Plex Serif-Italic CID Type 0C
 IBM Plex Serif-Light CID Type 0C
 IBM Plex Serif-LightItalic CID Type 0C
 IBM Plex Serif-Medium CID Type 0C
 IBM Plex Serif-MediumItalic CID Type 0C
 IBM Plex Serif-SemiBoldItalic CID Type 0C
 IBM Plex Serif-SemiBoldPS CID Type 0C
 IBM Plex Serif-Text CID Type 0C
 IBM Plex Serif-TextItalic CID Type 0C
 IBM Plex Serif-Thin CID Type 0C
 IBM Plex Serif-ThinItalic CID Type 0C
 LinLibertine0 CID Type 0C
 TeXGyreHeros-Bold CID Type 0C
 TeXGyreHeros-BoldItalic CID Type 0C
 TeXGyreHeros-Italic CID Type 0C
 TeXGyreHeros-Regular CID Type 0C
 TeXGyreTermes-Bold CID Type 0C
 TeXGyreTermes-BoldItalic CID Type 0C
 TeXGyreTermes-Italic CID Type 0C
 TeXGyreTermes-Regular CID Type 0C

References

- [1] freedesktop.org. *Fontconfig. A library for configuring and customizing font access*. June 15, 2016. URL: <https://www.freedesktop.org/wiki/Software/fontconfig/> (visited on 03/18/2017).
- [2] James Y Rauhut. *The package of IBM's new typeface, IBM Plex, and accompanying typography code*. Nov. 1, 2017. URL: <https://ibm.github.io/type> (visited on 11/13/2017).
- [3] WIKIPEDIA. *List of typographic features*. Feb. 21, 2017. URL: https://en.wikipedia.org/wiki/List_of_typographic_features (visited on 03/24/2017).